Serial No.:

Filed: Herewith Page: 3 of 8

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

## <u>Listing of Claims</u>:

- 1. (Original) A genetic vector for stable transfection and expression of a desired protein within eukaryotic cells comprising:
  - (a) distal 5' flanking sequences of a eukaryotic locus;
  - (b) proximal 5' regulatory sequences of a eukaryotic locus;
  - (c) at least a first insertion site for a first heterologous coding sequence; and
- (d) proximal 3' regulatory sequences effective for transcription termination of a eukaryotic locus;

wherein said sequences are operably joined in order (a)-(d) in a 5' to 3' orientation, with optional linker sequences between adjacent sequences; and

## wherein

- (1) said distal 5' flanking sequences comprise a sequence of at least 100 bases having at least 70% identity to a nucleotide sequence found between 20 bp and 100,000 bp 5' of a transcriptional initiation site of a ferritin heavy chain locus; or
- (2) said proximal 5' regulatory sequences comprise a sequence of at least 20 bases having at least 70% identity to a nucleotide sequence found between 1 bp and 10,000 bp 5' of a translational initiation codon of a ferritin heavy chain locus.
- 2. (Original) A genetic vector for stable transfection and expression of a desired protein within eukaryotic cells comprising:
  - (a) distal 5' flanking sequences of a eukaryotic locus;

Serial No.:

Filed: Herewith Page: 4 of 8

(b) proximal 5' regulatory sequences of a eukaryotic locus;

- (c) at least a first heterologous coding sequence encoding said desired protein; and
- (d) proximal 3' regulatory sequences effective for transcription termination of a eukaryotic locus;

wherein said sequences are operably joined in order (a)-(d) in a 5' to 3' orientation, with optional linker sequences between adjacent sequences; and

wherein

- (1) said distal 5' flanking sequences comprise a sequence of at least 100 bases having at least 70% identity to a nucleotide sequence found between 20 bp and 100,000 bp 5' of a transcriptional initiation site of a ferritin heavy chain locus; or
- (2) said proximal 5' regulatory sequences comprise a sequence of at least 20 bases having at least 70% identity to a nucleotide sequence found between 1 bp and 10,000 bp 5' of a translational initiation codon of a ferritin heavy chain locus.
- 3. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-2 wherein said distal 5' flanking sequences are derived from a ferritin heavy chain locus.
- 4. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-2 wherein said proximal 5' regulatory sequences are derived from a ferritin heavy chain locus.
- 5. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-2 wherein said proximal 5' regulatory sequences and said distal 5' flanking sequences are derived from a ferritin heavy chain locus.
- 6. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-5 wherein said proximal 3' regulatory sequences are derived from a ferritin heavy chain locus.

Serial No.:

Filed : Herewith Page : 5 of 8

7. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-6 further comprising distal 3' flanking sequences of a ferritin heavy chain locus.

- 8. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1, and 3.7 wherein said insertion site for a heterologous sequence includes at least one restriction endonuclease site.
- 9. (Original) A genetic vector as in claim 8 wherein said insertion site for a heterologous sequence is a polylinker site including at least two restriction endonuclease sites.
- 10. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-9 wherein said proximal 5' regulatory sequences include a eukaryotic intron sequence.
- 11. (Original) A genetic vector as in claim 10 wherein said eukaryotic intron sequence is derived from intron 1 of a ferritin heavy chain gene.
- 12. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-11 wherein said proximal 5' regulatory sequences include untranslated exon sequences.
- 13. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-12 wherein said distal 5' flanking sequences and said proximal 5' regulatory sequences have a total length of between 1,000 and 10,000 bases.
- 14. (Currently Amended) A genetic vector as in <u>claim 1</u> any one of claims 1-12 wherein said proximal 3' regulatory sequences and any distal 3' flanking sequences have a total length of between 1,000 and 10,000 bases.

Serial No.:

Filed: Herewith Page: 6 of 8

15. (Currently Amended) A eukaryotic cell transfected with a vector of <u>claim 1</u> any one of claims 1-14.

- 16. (Original) A eukaryotic cell as in claim 15 wherein said vector has stably integrated into a chromosome of said cell.
- 17. (Currently Amended) A eukaryotic cell as in <u>claim 15</u> any one of claims 15-16 wherein said first coding sequence is expressed in said cell.
  - 18. (Original) A eukaryotic cell comprising
  - (a) distal 5' flanking sequences of a eukaryotic locus;
  - (b) proximal 5' regulatory sequences of a eukaryotic locus;
  - (c) at least a first coding sequence; and
- (d) proximal 3' regulatory sequences effective for transcription termination of a eukaryotic locus;

wherein said sequences are operably joined in order (a)-(d) in a 5' to 3' orientation, with optional linker sequences between adjacent sequences; and

wherein

- (1) said distal 5' flanking sequences comprise an exogenous sequence of at least 100 bases having at least 70% identity to a nucleotide sequence found between 20 bp and 100,000 bp 5' of a transcriptional initiation site of a ferritin heavy chain locus; or
- (2) said proximal 5' regulatory sequences comprise an exogenous sequence of at least 20 bases having at least 70% identity to a nucleotide sequence found between 1 bp and 10,000 bp 5' of a translational initiation codon of a ferritin heavy chain locus.
  - 19. (Original) A eukaryotic cell comprising:

an exogenous 5' distal flanking sequence derived from a ferritin heavy chain locus operably joined to a coding sequence.

Serial No.:

Filed: Herewith Page: 7 of 8

20. (Currently Amended) A method of producing a desired protein in a eukaryotic cell comprising:

- (a) providing at least one cell of <u>claim 15</u> any one of claims 15-19 or a descendent thereof;
- (b) maintaining said cell in a culture under conditions which permit high expression of said desired protein; and
  - (c) isolating said desired protein from said culture.